

愉進科技有限公司

EVERRED TECHNOLOGY LIMITED

上海市天钥桥路438号申峰大厦1409室 200030

1409, Shenfeng Building, No 438 Tianyaoqiao Road, Shanghai 200030 China.

Tel:+86-21-6531 0544 Fax:+86-21-6531 1544

URL: www.ieverred.com E-mail: sales@ieverred.com

12V AUTO LEDs: Hot Sale

| Pictures | Item No. | Color | λ D(nm) Typ. | Operate Voltage Range (VDC) | Current @12Volt Unit: mA | Luminous Intensity (Lm) | Viewing Angle | Unit Price |
|---|--|--------------------------------|--|--------------------------------------|--------------------------------|-------------------------------|------------------|---------------|
|  | T5-1T-W T5-1T-R T5-1T-Y T5-1T-B | White Red Yellow Blue | 9000K 620-630 585-595 465-470 | 11.5-15 | 15 | 3.5 0.95 0.9 1.1 | 120 | US\$0.23 |
|  | T5-3T-W T5-3T-R T5-3T-Y T5-3T-B | White Red Yellow Blue | 9000K 620-630 585-595 465-470 | 11.5-15 | 15 | 9 2.7 2.4 3 | 150 | US\$0.72 |
|  | T10-7T-W T10-7T-R T10-7T-Y T10-7T-B | White Red Yellow Blue | 9000K 620-630 585-595 465-470 | 11.5-15 | 45 | 16 4.5 4.3 5 | 100 | US\$0.83 |
|  | T10-9T-W T10-9T-R T10-9T-Y T10-9T-B | White Red Yellow Blue | 9000K 620-630 585-595 465-470 | 11.5-15 | 45 | 24 7.2 7.0 7.5 | 80 | US\$0.98 |
|  | T10-9P-W T10-9P-R T10-9P-Y T10-9P-B | White Red Yellow Blue | 9000K 620-630 585-595 465-470 | 11.5-15 | 30 | 24 7.2 7.0 7.5 | 180 | US\$1.86 |
|  | T10-1S-W T10-1S-R T10-1S-Y T10-1S-B | White Red Yellow Blue | 9000K 620-630 585-595 465-470 | 11.5-15 | 15 | 7.5 2.5 2.4 3.0 | 150 | US\$0.99 |
|  | T10-4S-W T10-4S-R T10-4S-Y T10-4S-B | White Red Yellow Blue | 9000K 620-630 585-595 465-470 | 11.5-15 | 30 | 10.0 3.2 3.1 3.5 | 150 | US\$1.20 |

愉進科技有限公司


EVERRED TECHNOLOGY LIMITED

上海市天钥桥路438号申峰大厦1409室 200030

1409, Shenfeng Building, No 438 Tianyaoqiao Road, Shanghai 200030 China.

Tel:+86-21-6531 0544 Fax:+86-21-6531 1544

URL: www.ieverred.com E-mail: sales@ieverred.com

| Pictures | Item No. | Color | λ D(nm) Typ. | Operate Voltage Range (VDC) | Current @12Volt Unit: mA | Luminous Intensity (Lm) | Viewing Angle | Unit Price |
|--|--|--------------------------------|--|--------------------------------------|--------------------------------|-------------------------------|------------------|---------------|
|  | T10-5S-W T10-5S-R T10-5S-Y T10-5S-B | White Red Yellow Blue | 9000K 620-630 585-595 465-470 | 11.5-15 | 60 | 25.0 8.0 7.8 8.5 | 300 | US\$3.62 |
|  | T10-9S-W T10-9S-R T10-9S-Y T10-9S-B | White Red Yellow Blue | 9000K 620-630 585-595 465-470 | 11.5-15 | 70 | 45.0 15.0 14.5 16.0 | 300 | US\$5.18 |
|  | T10-9S'-W T10-9S'-R T10-9S'-Y T10-9S'-B | White Red Yellow Blue | 9000K 620-630 585-595 465-470 | 11.5-15 | 70 | 26.0 8.5 7.95 8.9 | 300 | US\$2.63 |
|  | T10-0.5W-8T-W T10-0.5W-8T-R T10-0.5W-8T-Y T10-0.5W-8T-B | White Red Yellow Blue | 9000K 620-630 585-595 465-470 | 11.5-15 | 65 | 30.0 11.2 11.0 12.5 | 300 | US\$2.57 |
|  | T10-1W-W T10-1W-B | White Blue | 9000K 465-470 | 11.5-15 | 60 | 20.0 7.2 | 180 | US\$1.55 |
| | T10-1W-R T10-1W-Y T10-1W-G | Red Yellow Green | 620-630 585-595 515-525 | 11.5-15 | | 8.0 7.8 19.0 | 180 | US\$2.16 |
|  | BA9S-1W-W BA9S-1W-B | White Blue | 9000K 465-470 | 11.5-15 | 60 | 20.0 7.2 | 180 | US\$1.55 |
| | BA9S-1W-R BA9S-1W-Y BA9S-1W-G | Red Yellow Green | 620-630 585-595 515-525 | 11.5-15 | 60 | 8.0 7.8 19.0 | 180 | US\$2.16 |
|  | BA9S-5S-W BA9S-5S-R BA9S-5S-Y BA9S-5S-B | White Red Yellow Blue | 9000K 620-630 585-595 465-470 | 11.5-15 | 50 | 25.0 8.0 7.8 8.5 | 300 | US\$3.62 |

愉進科技有限公司






EVERRED TECHNOLOGY LIMITED

上海市天钥桥路438号申峰大厦1409室 200030

1409, Shenfeng Building, No 438 Tianyaoqiao Road, Shanghai 200030 China.

Tel:+86-21-6531 0544 Fax:+86-21-6531 1544

URL: www.ieverred.com E-mail: sales@ieverred.com

| Pictures | Item No. | Color | λ D(nm) Typ. | Operate Voltage Range (VDC) | Current @12Volt Unit: mA | Luminous Intensity (Lm) | Viewing Angle | Unit Price |
|---|--|--------------------------------|--|--------------------------------------|--------------------------------|-------------------------------|------------------|---------------|
|  | BA9S-1S-W BA9S-1S-R BA9S-1S-Y BA9S-1S-B | White Red Yellow Blue | 9000K 620-630 585-595 465-470 | 11.5-15 | 15 | 7.5 2.5 2.4 3.0 | 150 | US\$0.99 |
|  | T10-8S-F42-W T10-8S-F42-R T10-8S-F42-Y T10-8S-F42-B | White Red Yellow Blue | 9000K 620-630 585-595 465-470 | 11.5-15 | 45 | 23.0 7.5 6.8 7.5 | 180 | US\$2.48 |
|  | PCB-18S-35x65-W PCB-18S-35x65-R PCB-18S-35x65-Y PCB-18S-35x65-B | White Red Yellow Blue | 9000K 620-630 585-595 465-470 | 11.5-15 | 90 | 45.0 15.0 14.6 18.2 | 180 | US\$8.91 |
|  | R-50W-6ohm | Resistor | 6 Ohm | 11.5-15 | 2000 | 49.45 x 15.15 x 15.42mm | | US\$2.64 |
|  | R-27W-6ohm | Resistor | 6 Ohm | 11.5-15 | 1500 | 27.40 x 15.24 x 15.40mm | | US\$1.98 |